


U-TRSM[®]





回转驱动
SLEWING DRIVE



不二传动设备（洛阳）有限公司


UNIQUE TRANSMISSION EQUIPMENT (LUOYANG) CO., LTD

SE3/PE3







项目/Item	数值	单位
SE3&PE3	Value	Unit
输出转矩/Output Torque	400	N.m
倾覆力矩/Tilting Moment Torque	1100	N.m
保持力矩/Holding Torque	2000	N.m
轴向静载荷/Static Axial Rating	30	kN
径向静载荷/Static Radial Rating	16.6	kN
轴向动载荷/Dynamic Axial Rating	9.6	kN
径向动载荷/Dynamic Radial Rating	8.4	kN
减速比/Gear Ratio	62:1	—
精度等级/Tracking Precision	≤0.2 ≤0.12/0.15	°
重量/Weight	12	kg


载荷曲线图/MOMENT LOAD CHART





SE5/PE5



项目/Item SE5&PE5	数值 Value	单位 Unit
输出转矩/Output Torque	600	N.m
倾覆力矩/Tilting Moment Torque	2800	N.m
保持力矩/Holding Torque	5000	N.m
轴向静载荷/Static Axial Rating	45	kN
径向静载荷/Static Radial Rating	22	kN
轴向动载荷/Dynamic Axial Rating	14.4	kN
径向动载荷/Dynamic Radial Rating	11.1	kN
减速比/Gear Ratio	62:1	—
精度等级/Tracking Precision	≤0.2 ≤0.08/0.12	°
重量/Weight	16	kg




SE7/PE7







项目/Item	数值	单位
SE7&PE7	Value	Unit
输出转矩/Output Torque	1500	N.m
倾覆力矩/Tilting Moment Torque	13500	N.m
保持力矩/Holding Torque	10400	N.m
轴向静载荷/Static Axial Rating	133	kN
径向静载荷/Static Radial Rating	53	kN
轴向动载荷/Dynamic Axial Rating	32	kN
径向动载荷/Dynamic Radial Rating	28	kN
减速比/Gear Ratio	73:1	—
精度等级/Tracking Precision	≤0.2 ≤0.07/0.11	°
重量/Weight	25	kg

载荷曲线图/MOMENT LOAD CHART




SE9/PE9






项目/Item	数值	单位
SE9&PE9	Value	Unit
输出转矩/Output Torque	6.5	kN.m
倾覆力矩/Tilting Moment Torque	33.9	kN.m
保持力矩/Holding Torque	38.7	kN.m
轴向静载荷/Static Axial Rating	338	kN
径向静载荷/Static Radial Rating	135	kN
轴向动载荷/Dynamic Axial Rating	81	kN
径向动载荷/Dynamic Radial Rating	71	kN
减速比/Gear Ratio	61:1	—
精度等级/Tracking Precision	≤0.17 ≤0.07/0.09	°
重量/Weight	49	kg

载荷曲线图/MOMENT LOAD CHART




SE12/PE12






项目/Item	数值	单位
SE12&PE12	Value	Unit
输出转矩/Output Torque	7.5	kN.m
倾覆力矩/Tilting Moment Torque	54.3	kN.m
保持力矩/Holding Torque	43	kN.m
轴向静载荷/Static Axial Rating	475	kN
径向静载荷/Static Radial Rating	190	kN
轴向动载荷/Dynamic Axial Rating	114	kN
径向动载荷/Dynamic Radial Rating	100	kN
减速比/Gear Ratio	78:1	—
精度等级/Tracking Precision	≤0.17 ≤0.05/0.07	°
重量/Weight	61	kg


载荷曲线图/MOMENT LOAD CHART





SE14/PE14




项目/Item	数值	单位
SE14&PE14	Value	Unit
输出转矩/Output Torque	8	kN.m
倾覆力矩/Tilting Moment Torque	67.8	kN.m
保持力矩/Holding Torque	48	kN.m
轴向静载荷/Static Axial Rating	555	kN
径向静载荷/Static Radial Rating	222	kN
轴向动载荷/Dynamic Axial Rating	133	kN
径向动载荷/Dynamic Radial Rating	117	kN
减速比/Gear Ratio	85:1	—
精度等级/Tracking Precision	≤0.17 ≤0.05/0.07	°
重量/Weight	64	kg






SE17/PE17



项目/Item SE17&PE17	数值 Value	单位 Unit
输出转矩/Output Torque	10	kN.m
倾覆力矩/Tilting Moment Torque	135.6	kN.m
保持力矩/Holding Torque	72.3	kN.m
轴向静载荷/Static Axial Rating	970	kN
径向静载荷/Static Radial Rating	390	kN
轴向动载荷/Dynamic Axial Rating	235	kN
径向动载荷/Dynamic Radial Rating	205	kN
减速比/Gear Ratio	102:1	—
精度等级/Tracking Precision	≤0.15 ≤0.05/0.07	°
重量/Weight	105	kg




SE21/PE21






项目/Item	数值	单位
SE21&PE21	Value	Unit
输出转矩/Output Torque	15	kN.m
倾覆力矩/Tilting Moment Torque	203	kN.m
保持力矩/Holding Torque	105.8	kN.m
轴向静载荷/Static Axial Rating	1598	kN
径向静载荷/Static Radial Rating	640	kN
轴向动载荷/Dynamic Axial Rating	385	kN
径向动载荷/Dynamic Radial Rating	335	kN
减速比/Gear Ratio	125:1	—
精度等级/Tracking Precision	≤0.15 ≤0.05/0.07	°
重量/Weight	149	kg

载荷曲线图/MOMENT LOAD CHART




SE25/PE25







项目/Item	数值	单位
SE25&PE25	Value	Unit
输出转矩/Output Torque	18	kN.m
倾覆力矩/Tilting Moment Torque	271	kN.m
保持力矩/Holding Torque	158.3	kN.m
轴向静载荷/Static Axial Rating	2360	kN
径向静载荷/Static Radial Rating	945	kN
轴向动载荷/Dynamic Axial Rating	590	kN
径向动载荷/Dynamic Radial Rating	470	kN
减速比/Gear Ratio	150:1	—
精度等级/Tracking Precision	≤ 0.15 $\leq 0.05/0.07^\circ$	°
重量/Weight	204	kg

载荷曲线图/MOMENT LOAD CHART




WE9






项目/Item	数值	单位
WE9	Value	Unit
输出转矩/Output Torque	8	kN.m
倾覆力矩/Tilting Moment Torque	35.6	kN.m
保持力矩/Holding Torque	38.7	kN.m
轴向静载荷/Static Axial Rating	578	kN
径向静载荷/Static Radial Rating	215	kN
轴向动载荷/Dynamic Axial Rating	136	kN
径向动载荷/Dynamic Radial Rating	115	kN
减速比/Gear Ratio	62:1	—
精度等级/Tracking Precision	≤0.15	°
重量/Weight	48.5	kg

载荷曲线图/MOMENT LOAD CHART




滚道载荷曲线/Raceway curve

WE12







项目/Item	数值	单位
WE12	Value	Unit
输出转矩/Output Torque	9.5	kN.m
倾覆力矩/Tilting Moment Torque	57	kN.m
保持力矩/Holding Torque	43	kN.m
轴向静载荷/Static Axial Rating	760	kN
径向静载荷/Static Radial Rating	280	kN
轴向动载荷/Dynamic Axial Rating	190	kN
径向动载荷/Dynamic Radial Rating	148	kN
减速比/Gear Ratio	79:1	—
精度等级/Tracking Precision	≤ 0.15	°
重量/Weight	61	kg

载荷曲线图/MOMENT LOAD CHART




WE14




项目/Item WE14	数值 Value	单位 Unit
输出转矩/Output Torque	10.8	kN.m
倾覆力矩/Tilting Moment Torque	71.2	kN.m
保持力矩/Holding Torque	48	kN.m
轴向静载荷/Static Axial Rating	960	kN
径向静载荷/Static Radial Rating	360	kN
轴向动载荷/Dynamic Axial Rating	230	kN
径向动载荷/Dynamic Radial Rating	200	kN
减速比/Gear Ratio	86:1	—
精度等级/Tracking Precision	≤0.13	°
重量/Weight	68	kg

载荷曲线图/MOMENT LOAD CHART




WE17






项目/Item	数值	单位
WE17	Value	Unit
输出转矩/Output Torque	12.96	kN.m
倾覆力矩/Tilting Moment Torque	142.4	kN.m
保持力矩/Holding Torque	72.3	kN.m
轴向静载荷/Static Axial Rating	1166	kN
径向静载荷/Static Radial Rating	435	kN
轴向动载荷/Dynamic Axial Rating	280	kN
径向动载荷/Dynamic Radial Rating	231	kN
减速比/Gear Ratio	104:1	—
精度等级/Tracking Precision	≤0.1	°
重量/Weight	90	kg

载荷曲线图/MOMENT LOAD CHART




WE21






项目/Item	数值	单位
WE21	Value	Unit
输出转矩/Output Torque	28.7	kN.m
倾覆力矩/Tilting Moment Torque	203	kN.m
保持力矩/Holding Torque	105.8	kN.m
轴向静载荷/Static Axial Rating	1598	kN
径向静载荷/Static Radial Rating	640	kN
轴向动载荷/Dynamic Axial Rating	385	kN
径向动载荷/Dynamic Radial Rating	335	kN
减速比/Gear Ratio	90:1	—
精度等级/Tracking Precision	≤0.1	°
重量/Weight	169	kg

载荷曲线图/MOMENT LOAD CHART




WE25







项目/Item	数值	单位
WE25	Value	Unit
输出转矩/Output Torque	34.2	kN.m
倾覆力矩/Tilting Moment Torque	310	kN.m
保持力矩/Holding Torque	158.3	kN.m
轴向静载荷/Static Axial Rating	2360	kN
径向静载荷/Static Radial Rating	945	kN
轴向动载荷/Dynamic Axial Rating	590	kN
径向动载荷/Dynamic Radial Rating	470	kN
减速比/Gear Ratio	104:1	—
精度等级/Tracking Precision	≤0.1	°
重量/Weight	199	kg

载荷曲线图/MOMENT LOAD CHART




WEA7






项目/Item WEA7	数值 Value	单位 Unit
输出转矩/Output Torque	3.5	kN.m
倾覆力矩/Tilting Moment Torque	14.2	kN.m
保持力矩/Holding Torque	20	kN.m
轴向静载荷/Static Axial Rating	220	kN
径向静载荷/Static Radial Rating	90	kN
轴向动载荷/Dynamic Axial Rating	63	kN
径向动载荷/Dynamic Radial Rating	48	kN
减速比/Gear Ratio	47:1	—
精度等级/Tracking Precision	≤0.15	°
重量/Weight	35	kg

载荷曲线图/MOMENT LOAD CHART




WEA9







项目/Item	数值	单位
WEA9	Value	Unit
输出转矩/Output Torque	8	kN.m
倾覆力矩/Tilting Moment Torque	35.6	kN.m
保持力矩/Holding Torque	38.7	kN.m
轴向静载荷/Static Axial Rating	578	kN
径向静载荷/Static Radial Rating	215	kN
轴向动载荷/Dynamic Axial Rating	136	kN
径向动载荷/Dynamic Radial Rating	115	kN
减速比/Gear Ratio	62:1	—
精度等级/Tracking Precision	≤0.15	°
重量/Weight	53	kg

载荷曲线图/MOMENT LOAD CHART




WEA12





项目/Item	数值	单位
WEA12	Value	Unit
输出转矩/Output Torque	9.5	kN.m
倾覆力矩/Tilting Moment Torque	57	kN.m
保持力矩/Holding Torque	43	kN.m
轴向静载荷/Static Axial Rating	760	kN
径向静载荷/Static Radial Rating	280	kN
轴向动载荷/Dynamic Axial Rating	190	kN
径向动载荷/Dynamic Radial Rating	148	kN
减速比/Gear Ratio	79:1	—
精度等级/Tracking Precision	≤0.15	°
重量/Weight	66.8	kg

载荷曲线图/MOMENT LOAD CHART




WEA14






项目/Item	数值	单位
WEA14	Value	Unit
输出转矩/Output Torque	10.8	kN.m
倾覆力矩/Tilting Moment Torque	71.2	kN.m
保持力矩/Holding Torque	48	kN.m
轴向静载荷/Static Axial Rating	960	kN
径向静载荷/Static Radial Rating	360	kN
轴向动载荷/Dynamic Axial Rating	230	kN
径向动载荷/Dynamic Radial Rating	200	kN
减速比/Gear Ratio	86:1	—
精度等级/Tracking Precision	≤0.13	°
重量/Weight	75	kg

载荷曲线图/MOMENT LOAD CHART




WEA17





项目/Item WEA17	数值 Value	单位 Unit
输出转矩/Output Torque	12.96	kN.m
倾覆力矩/Tilting Moment Torque	142.4	kN.m
保持力矩/Holding Torque	72.3	kN.m
轴向静载荷/Static Axial Rating	1166	kN
径向静载荷/Static Radial Rating	435	kN
轴向动载荷/Dynamic Axial Rating	280	kN
径向动载荷/Dynamic Radial Rating	231	kN
减速比/Gear Ratio	104:1	—
精度等级/Tracking Precision	≤0.1	°
重量/Weight	96	kg

载荷曲线图/MOMENT LOAD CHART




WEA19



项目/Item WEA19	数值 Value	单位 Unit
输出转矩/Output Torque	18.5	kN.m
倾覆力矩/Tilting Moment Torque	196	kN.m
保持力矩/Holding Torque	80.1	kN.m
轴向静载荷/Static Axial Rating	1800	kN
径向静载荷/Static Radial Rating	675	kN
轴向动载荷/Dynamic Axial Rating	290	kN
径向动载荷/Dynamic Radial Rating	250	kN
减速比/Gear Ratio	94:1	—
精度等级/Tracking Precision	≤0.1	°
重量/Weight	118	kg





载荷曲线图/MOMENT LOAD CHART



轴向载荷/Axial load[kN]


滚道载荷曲线/Raceway curve


WEA21



项目/Item	数值	单位
WEA21	Value	Unit
输出转矩/Output Torque	28.7	kN.m
倾覆力矩/Tilting Moment Torque	203	kN.m
保持力矩/Holding Torque	105.8	kN.m
轴向静载荷/Static Axial Rating	1598	kN
径向静载荷/Static Radial Rating	640	kN
轴向动载荷/Dynamic Axial Rating	385	kN
径向动载荷/Dynamic Radial Rating	335	kN
减速比/Gear Ratio	90:1	—
精度等级/Tracking Precision	≤0.1	°
重量/Weight	172	kg

载荷曲线图/MOMENT LOAD CHART





不二传动设备（洛阳）有限公司

Unique Transmission Equipment (Luoyang) Co., LTD

电话 Phone: 0379-6491 5181

邮箱 Mail: sales@u-transmission.com

网址 Web: <http://www.u-transmission.com>

地址：洛阳市 高新区 滨河北路 22 号 洛阳留学人员创业园

Address: Luoyang overseas personnel innovation park, No.22 Binhe north road, High-tech zone, Luoyang city